



STAINLESS STEEL SMOKEHOUSE SHELVES

- Constructed of 18-8 Type 304 stainless steel.
- Sturdy construction with welds at every point where one rod crosses another rod.
- All burrs removed.
- Electropolished to a bright, smooth finish.
- Available in styles to fit smokehouse trees, cages or trucks.
- Many standard sizes available.
- Can be made to your specifications. Please specify length and width required as well as location, length and width of slots or cutouts.
- Single post style available with safety stop to help prevent shelf from sliding off tree.
- Shelves can be reinforced with support rods for heavier loads.

STAINLESS STEEL WIRE SHELVES



**Stainless Steel Wire Shelf
with Fence on two sides**



**Single Post Wire Style
with Safety Stop**

**Helps prevent shelves from
sliding off trees.**

- Made to order.
- Frames and supports are made of 3/8" or 1/2" stainless steel rod.
- Top wires can be made of 1/8", 5/32", or 3/16" stainless steel rod, welded on 1/2", 3/4", 1" or 1-1/4" centers. Please specify.
- Can be supplied with a fence to help retain product.




G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579


STAINLESS STEEL MESH SHELVES

- Frames and supports are made of 3/8" round stainless steel rod.
- Mesh shelves made of 0.105" (12 gauge) or 0.125" (11 gauge) stainless steel rod, welded to form a 1" square mesh.
- Sizes available include 42"x42", 21"x42", 29-1/2"x42", 39-3/8"x42" and 30"x33". Other sizes available, please specify.




Mesh Style

To fit sausage trucks, cages and trees.



Mesh Style with Support Rod

For heavier loads.




Single Post Mesh Style

To fit single post smokehouse trees,
also cages and trucks.



Stainless Steel Wire Shelf

with fence to help retain product.




Double Post Mesh Style

To fit double post smokehouse trees,
cages and trucks.

CHILL AND SMOKE BASKETS/ACCESSORIES

- Reduce your labor costs by loading, cooking and chilling your product without rehandling or transferring.
- Open mesh design allows product to chill in less time.
- Baskets are open ended for faster loading and unloading.
- Ends of rods are deburred to reduce tearing of casing.
- When not in use, baskets will nest compactly on dollies.
- Structurally designed and welded to carry heavy loads.
- Shallow baskets can be stacked 10 high; deep baskets stacked 7 high.

SINGLE CHILL AND SMOKE BASKETS



Item No.	Description	Overall Width	Length	Height	Access Opening Between Baskets	Weight
2650	Stainless Single Shallow	29-1/2"	30-3/4"	7-1/2"	5-5/16"	17.5 lbs.
2651	Stainless Single Deep	29-1/2"	30-3/4"	9-1/2"	7-7/16"	18.5 lbs.

STAINLESS INSERT FOR SINGLE DEEP BASKETS



- Doubles the capacity of the basket for small products.
- Used with deep style basket.

Item No.	Description	Weight
2623	Stainless insert for single deep basket.	6.9 lbs.



G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

DOUBLE LENGTH CHILL AND SMOKE BASKETS



- All stainless steel construction with electropolished finish.
- Ends of rods are deburred to eliminate snagging.
- Double length eliminates tearing of casing when handling long products.
- Easily nested to conserve space when not in use.
- Shallow baskets can be stacked 10 high; deep baskets stacked 7 high.

Item No.	Description	Overall Width	Length	Height	Access Opening Between Baskets	Weight
2652	Stainless Double Shallow	29-1/2"	61-1/2"	7-1/2"	5-5/16"	29.5 lbs.
2653	Stainless Double Deep	29-1/2"	61-1/2"	9-1/2"	7-7/16"	31.0 lbs.

STAINLESS STEEL CROSS-BRACE




- Made of 3/8" diameter stainless steel.
- Used with double baskets to increase stacking capacity.

Item No.	Description	Weight
2624	Cross brace for double basket	1.1 lbs.

DOLLIES FOR CHILL AND SMOKE BASKETS

- Dollies are sturdily welded to carry heavy loads.
- Electropolished to a bright, smooth finish.
- Single dollies come complete with 6" caster wheels, 8" wheels also available.
- Double dollies come complete with 8" caster wheels, other sizes available.

STAINLESS SINGLE DOLLIES



2680


Constructed of solid 3/8" round Type 304 stainless steel.



2682

Constructed of 1-1/2" square stainless steel tubing.

STAINLESS TUBULAR DOUBLE DOLLIES



2688

Constructed of 2" square stainless steel tubing.

Item No.	Description	Weight
2680	Stainless Rod Type Dolly, Single	45 lbs.
2682	Stainless Tubular Type Dolly, Single	50 lbs.
2687	Stainless Tubular Dolly for Double Length Baskets	68 lbs.
2688	Stainless Tubular Dolly for 2 stacks of Single Length Baskets	69 lbs.




G.F. Frank and Sons Inc.


stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

STAINLESS STEEL HAM PRESS SETS



Triple Ham Press
Item No. 2625



Single Ham Press With Hook



Regular Spring



Fingerloop Spring

- All stainless steel wire screens and springs.
- Screens maintain pressure on product throughout cooking or smoking process.
- More smoke penetrates through the 1" opening in the crosswires which can reduce processing time.
- Available in two standard sizes, other sizes made to order upon request.
- Both the regular and fingerloop springs are 3-5/16" inside of hooks.
- Screens and springs are electropolished to a bright, smooth finish for easier cleaning.
- Hanging hook available on any size, please specify.

Item No.	Description	Weight
2621	12"x14" Ham Press with 4 Springs	3.45 lbs.
2625	12"x34" Ham Press with 8 Springs	14.88 lbs.
2630	S.S. Springs, Regular, 3/4" Diameter	0.10 lb.
2631	S.S. Springs, Fingerloop, 3/4" Diameter	0.11 lb.

ALL STAINLESS STEEL NESTING SMOKEHOUSE TRUCKS


- Open ended design for easy loading and space-saving nested storage.
- All Type 304 stainless steel construction.
- Heavy gauge tubular frame for added strength and minimum weight.
- Stations are notched and hold a standard 42" smokestick.
- Electropolished to a bright, smooth finish, all burrs and sharp edges removed.
- 8" wheels, two swivel and two rigid for easy maneuvering.
- 72" overall height, 46-1/2" overall length, 42" overall width.



Item No.	Description	Weight
2612	4 Station, Nesting, 72" High	165 lbs.
2613	5 Station, Nesting, 72" High	177 lbs.

ALL STAINLESS STEEL SMOKEHOUSE TREES

- All stainless steel heavy duty welded construction.
- Available with open ended or closed ended stations.
- Stations are adjustable with set screw secured collars that slide along with center rod.
- Electropolished to a bright, smooth finish, all burrs and sharp edges removed.
- To be used with our double trolley rollers, please specify type required.



DIMENSIONS

Length of Stations 32", 42" or 48"

Width of Stations 12"

Length of Center Rod 60" or 72"

Notches 3/4" wide, spaced 1-1/4" on center.

Other sizes and types of smokehouse trees available, please specify.



G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

STAINLESS STEEL SMOKESTICKS

- All stainless steel 18-8 Type 304.
- Smooth with deburred edges.

"BELL" AND "U" SHAPED SMOKESTICKS



- Heavy gauge stainless steel.
- Highly polished and easy to clean.
- Strong to hold even heavy products like ham.
- Can be notched to easily maintain product spacing.

Item No.	Description	Weight
2240	"U" Shaped, 16 GA, 42"	1.23 lbs.
2240M	"U" Shaped, 16 GA, 39-1/4"	1.14 lbs.
2241	"U" Shaped, 14 GA, 42"	1.68 lbs.
2242	"Bell" Shaped, 18 GA, 42"	1.25 lbs.
2243	"Bell" Shaped, 16 GA, 42"	1.70 lbs.


TUBULAR SMOKESTICKS



- Smooth, sanitary finish.
- Ends are flattened and welded.

Item No.	Description	Weight
2231	3/4" Diameter, 16 GA, 42"	1.57 lbs.
2233	7/8" Diameter, 18 GA, 42"	1.53 lbs.
2230	1" Diameter, 18 GA, 42"	1.70 lbs.

SOLID STAINLESS STEEL RODS



- Bright, smooth finish.
- Ends are deburred.
- 42 standard length, other lengths available, please specify.

Item No.	Description	Weight
2210	3/8" Diameter, 42"	1.31 lbs.
2211	7/16" Diameter, 42"	1.79 lbs.
2212	1/2" Diameter, 42"	2.34 lbs.

STAINLESS STEEL LOAF BASKET



- Stainless steel welded wire construction.
- Sturdy design with 3/16" wire frame and skids, and 12 gauge wire mesh.
- 6 pound capacity.
- Inside dimensions at top – 5" length, 10" width, 3-3/4" depth.

Item No.	Description	Weight
2640	6 pound capacity	0.95 lb.

STAINLESS STEEL HOSE RACK



- Attractive, practical hose rack, keeps up to 50' of 3/4" hose neatly coiled in place.
- Made of 1/2" diameter 18-8 Type 304 stainless steel.
- Furnished with anchors for masonry wall mounting.

Item No.	Description	Weight
8053	10" w x 11" h with anchors	2.57 lbs.



G.F. Frank and Sons Inc.


stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579




STAINLESS STEEL WIRE SAUSAGE CAGES

- All stainless steel wire sturdy one-piece construction.
- Designed for fast opening and closing to reduce handling time.
- Electropolished to a bright, smooth finish for easy cleaning.
- A variety of shapes available to meet your specifications.

Item No.	Description	Weight
2710	4"x4"x14"	1.70 lbs.
2711	4"x4"x24"	2.90 lbs.



2711



Semicircular Loaf
Forming Press Set



STAINLESS STEEL BACON HANGERS

- Stainless steel bacon hangers are doing an outstanding job of maintaining high standards of cleanliness, keeping cleaning costs down and packing standards up.
- Sturdy design constructed of 18-8 Type 304 stainless steel.
- Sharp, smooth points penetrate with the least amount of effort.
- Smooth, electropolished bright stainless steel is easy to clean.
- Triangular V-type hanging hook standard, round hook available.
- Many other styles made to order.

STYLE BH

- U-shaped prongs are of one piece, 4-weld construction.
- Frames and prongs are 5/32" diameter, hanging hook is 3/16" stainless steel rod.


Item No.	Prongs	Width	Weight/100
BH880	8	8"	32 lbs.
BH890	8	8-3/4"	35 lbs.



STYLE SLG

- Designed with hand grip for easier handling
- Hand grip and U-shaped prongs are of one piece, 4-weld construction.
- Frames and prongs are 5/32" diameter, hanging hook is 3/16" stainless steel rod.

Item No.	Prongs	Width	Weight/100
SLG665	6	6-1/2"	29 lbs.
SLG890	8	8-3/4"	38 lbs.
SLG1011	10	11-1/2"	45 lbs.




G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

STYLE BH



- Frames and prongs are 5/32" diameter, hanging hook is 3/16" stainless steel rod.

Item No.	Prongs	Width	Weight/100
BH325	3	2-1/2"	11 lbs.
BH435	4	3-1/2"	20 lbs.
BH665	6	6-1/2"	26 lbs.
BH880	8	8"	32 lbs.
BH890	8	8-3/4"	35 lbs.
BH1010	10	10-1/4"	39 lbs.
BH1011	10	11-1/2"	40 lbs.
BH1213	12	13-1/2"	45 lbs.
BH1415	14	14-3/4"	52 lbs.

BACON HANGER STAND



- Stainless steel stand holds approximately 100 bacon hangers.
- Convenient handle for carrying or hanging above conveyor table or in wash cabinet.
- Width of base is 16".
- Overall height is 22-1/2".
- Other styles made to order.


Item No.	Description	Weight
2001	100 hanger capacity	12 lbs.

STAINLESS STEEL HOOKS

STAINLESS STEEL STOCKINETTE HOOKS

- Designed to hold stockinette securely.
- Saves 4" of stockinette and reduces fastening time.
- Bright, smooth finish.

Item No.	Description	Weight/100
2010	3/16"x3-1/4" for 1" sticks	5.3 lbs.
2011	3/16"x3-1/2" for 1-1/4" sticks	5.8 lbs.
2012	3/16"x4" for 1-1/2" sticks	6.2 lbs.
2014	3/16"x5" for triangle sticks	8.0 lbs.
2018	1/4"x4-1/4" for 1-1/2" sticks	12.4 lbs



STAINLESS STEEL "S" HOOKS

- Solid 18-8 Type 304 stainless steel.
- Sharp, smooth points.
- Electropolished to a bright, smooth finish.

Item No.	Description	Weight/100
2310	3/16"x4"	7.0 lbs.
2311	3/16"x6"	8.0 lbs.
2312	1/4"x4"	12.0 lbs.
2314	1/4"x6"	15.0 lbs.
2315	1/4"x8"	18.0 lbs.
2316	5/16"x6"	24.0 lbs.
2317	5/16"x8"	28.0 lbs.
2318	3/8"x6"	34.0 lbs.
2319	3/8"x8"	45.0 lbs.
2320	3/8"x10"	51.0 lbs.
2321	1/2"x10"	92.0 lbs.
2322	1/2"x12"	103.0 lbs.




G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

STAINLESS STEEL CALIFORNIA HOOKS



3311

3314

- Made of 18-8 Type 304 stainless steel.
- Sharp, smooth points penetrate with the least effort.
- Available in single eye or three ring.
- Electropolished to a bright, smooth finish.

Item No.	Description	Weight/100
3310	1/4"x7-1/4" Single Eye	16 lbs.
3311	5/16"x7-1/4" Single Eye	24 lbs.
3312	1/4"x7-1/4" Three Ring	22 lbs.
3314	5/16"x7-1/4" Three Ring	35 lbs.

STAINLESS STEEL SKIRT HOOKS



- Available in either sharp or blunt ends.
- Electropolished to a bright, smooth finish.
- Other sizes and shapes available.

Item No.	Description	Weight/100
2410	1/4"x9"	18 lbs.
2411	1/4"x13"	24 lbs.

STAINLESS STEEL FLANK SPREADER



- Made of 18-8 Type 304 stainless steel.
- Electropolished to a bright, smooth finish.

Item No.	Description	Weight/100
2610	1/4"x11-1/4"	18 lbs.

STAINLESS STEEL PINS

STAINLESS STEEL SHROUD PINS

- Strong, one piece construction.
- Sharp, smooth points.
- Smooth welded eye.
- Item No. 2112 for use with magnetic sweeper.



Item No.	Description	Weight/100
2110	1/8"x4-1/2" Non-Magnetic	24 lbs.
2111	5/32"x4-3/4" Non-Magnetic	37 lbs.
2112	5/32"x4-3/4" Magnetic	36 lbs.

STAINLESS STEEL SKEWER PINS



- Solid 18-8 Type 304 stainless steel.
- Sharp, smooth points.
- Round eye is 1/2" inside diameter.

Item No.	Description	Weight/100
3110	1/8"x8"	3.1 lbs.
3111	1/8"x10"	3.8 lbs.
3112	1/8"x12"	4.5 lbs.

STAINLESS STEEL NECK PINS



- Sharp, smooth points.
- Available in magnetic stainless for quick pick-up with magnetic sweeper.

Item No.		Description	Weight/100
Magnetic	Non-Magnetic		
2510	2530	1/4"x8"	14.0 lbs.
2511	2531	1/4"x10"	17.0 lbs.
2520	2532	1/4"x12"	19.0 lbs.
2521	2533	1/4"x14"	22.0 lbs.




G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579


STAINLESS STEEL CAR HOOKS



- Designed to fit standard 2" round bar or pipe.
- Made of 18-8 Type 304 stainless steel.
- Sharp, smooth points.
- Electropolished to a bright, smooth finish.
- Car hooks can also be made to your specifications.

Item No.	Description	Weight/100
4610	3/8"x8"	45 lbs.
4611	3/8"x24"	95 lbs.
4630	1/2"x8"	80 lbs.
4631	1/2"x24"	168 lbs.

STAINLESS STEEL RAIL AND BAR HOOKS



- Solid 18-8 Type 304 stainless steel.
- Sharp, smooth points.
- Bright, smooth finish.

Item No.	Description	Weight/100
2810	1/4"x3"x1/4"	10 lbs.
2811	1/4"x3"x3/8"	10 lbs.
2812	1/4"x3"x1/2"	10 lbs.
2813	1/4"x3"x3/4"	10 lbs.
2814	5/16"x4"x3/8"	19 lbs.
2815	5/16"x4"x1/2"	19 lbs.
2816	5/16"x4"x1-3/4"	22 lbs.
2817	5/16"x4"x2"	22 lbs.
2822	3/8"x4"x1/4"	26 lbs.
2818	3/8"x4"x3/8"	27 lbs.
2819	3/8"x4"x1/2"	27 lbs.
2820	3/8"x4"x1-3/4"	32 lbs.
2821	3/8"x4"x2"	32 lbs.

STAINLESS STEEL BONING HOOKS

ALUMINUM HANDLE BONING HOOK

- Solid hexagon aluminum handle helps reduce slippage.
- Stainless steel hook securely riveted to solid aluminum handle to prevent twisting and turning.
- Sharp, smooth point penetrates with the least amount of effort.
- Shank of hook is flattened to reduce pressure on fingers.



Item No.	Diameter	Shank Length	Overall Length	Weight/100
2911	1/4"	4"	5"	36 lbs.
2914	5/16"	4"	5"	41 lbs.

ALL STAINLESS STEEL BONING HOOK

- Stainless steel contoured handle.
- Shank of the hook is welded solidly to the handle.
- Stainless steel hook is heat treated to a spring temper.
- All magnetic stainless construction for ease of detection by metal detectors
- Sharp, smooth point penetrates with the least amount of effort.
- Electropolished to a bright, smooth finish.
- Shank of hook is flattened to reduce pressure on fingers.



Item No.	Diameter	Shank Length	Overall Length	Weight/100
2921	1/4"	4"	5-1/2"	32 lbs.




G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

OPEN GRIP BONING HOOK



- Eliminates soreness between fingers and breakage of wire mesh gloves.
- Stainless steel hook is heat treated to a spring temper.
- Orange plastic handle.

Item No.	Diam.	Hook Length Under Handle	Overall Length	Weight/100
2941	1/4"	4"	5-1/4"	39 lbs.

INSPECTION/UTILITY HOOK



- In-line handle contoured for a more secure grip.
- Handle is securely cast to the shank of the hook.
- Hook has sharp, smooth point.
- Electropolished to a bright, smooth finish.
- 3/16" diameter shank, 10-1/2" overall length.

Item No.	Description
2990	Aluminum Handle
2994	Orange Plastic Handle
2995	White Plastic Handle

DRIVER'S HAND HOOK



- Stainless tubular handle.
- All welded construction.

Item No.	Description	Weight
2992	3/8" diameter hook, 1" diameter handle x 5", 8" overall length	0.76 lb.

STAINLESS STEEL SELECTING HOOKS

ALUMINUM "T" HANDLE SELECTING HOOK

- Solid hexagon aluminum handle helps reduce slippage.
- Stainless steel hook securely riveted to solid aluminum handle to prevent twisting and turning.
- Sharp, smooth point penetrates with the least amount of effort.

Item No.	Diam.	Shank Length	Overall Length	Weight
3002	1/4"	6-3/4"	7-1/2"	0.39 lb.
3004	1/4"	11-1/4"	12"	0.46 lb.
3006	1/4"	13-1/4"	14"	0.48 lb.
3010	1/4"	9"	10"	0.43 lb.
3011	1/4"	18"	19"	0.53 lb.
3012	1/4"	24"	25"	0.60 lb.
3013	1/4"	36"	37"	0.73 lb.
3014	5/16"	6-3/4"	7-1/2"	0.47 lb.
3015	5/16"	9"	10"	0.51 lb.
3016	5/16"	18"	19"	0.70 lb.
3017	5/16"	24"	25"	0.84 lb.
3018	5/16"	36"	37"	1.08 lbs.
3019	3/8"	36"	37"	1.70 lbs.
3020	1/2"	36"	37"	2.50 lbs.



IN-LINE ALUMINUM HANDLE SELECTING HOOK

- Aluminum cast handle with grooves for more secure gripping.
- Handle is securely cast to the shank of the hook.
- Sharp, smooth point penetrates with the least amount of effort.
- Electropolished to a bright, smooth finish.

Item No.	Diam.	Shank Length	Overall Length	Weight
2980	5/16"	4-1/2"	9-1/2"	0.57 lb.
2981	5/16"	8"	13"	0.63 lb.
2982	5/16"	12"	17"	0.73 lb.
2983	5/16"	16"	21"	0.81 lb.
2984	5/16"	20"	25"	0.90 lb.



G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

DENVER RIBBING KNIFE BLADES



Standard Blade
8063




Contoured Blade
8064

- Made of high alloy heat treated knife steel.
- Fits standard 14-/4 handle.
- Contoured blade has special contour and angle for most efficient cutting.
- Sharp edge for accurate cutting.

Item No.	Description	Weight
8063	Standard Replacement Blade	0.33 lb.
8064	Contoured Replacement Blade	0.33 lb.
8065	Center Bowed Replacement Blade	0.33 lb.


WEASAND ROD



- All stainless steel.
- Shank is solidly welded to the handle.

Item No.	Description	Weight
8055	5/16" shank, 1" diameter handle, 24" overall length	1.20 lbs.

TAIL PULLER



- All stainless steel.
- Sturdy construction for heavy duty, continuous use.


Item No.	Description	Weight
8056	All stainless construction	1.74 lbs.

STAINLESS STEEL TROLLEY HOOKS

- Made of Type 304 stainless steel.
- Sharp, smooth tapered points for easy penetration.
- Electropolished to a bright, smooth finish.
- Trolley hooks can be supplied with or without trolley rollers.

SINGLE TROLLEY HOOKS

Item No.	Description	Weight
3706	3/8"x6"	.36 lb.
3707	3/8"x7"	.39 lb.
3712	3/8"x12"	.55 lb.
3718	3/8"x18"	.73 lb.
3724	3/8"x24"	.92 lb.
3730	3/8"x30"	1.11 lbs.
3736	3/8"x36"	1.30 lbs.
3806	7/16"x6"	.48 lb.
3807	7/16"x7"	.52 lb.
3812	7/16"x12"	.75 lb.
3818	7/16"x18"	1.00 lbs.
3824	7/16"x24"	1.25 lbs.
3830	7/16"x30"	1.50 lbs.
3836	7/16"x36"	1.75 lbs.
3906	1/2"x6"	.62 lb.
3907	1/2"x7"	.67 lb.
3912	1/2"x12"	.95 lb.
3918	1/2"x18"	1.29 lbs.
3924	1/2"x24"	1.62 lbs.
3930	1/2"x30"	1.95 lbs.
3936	1/2"x36"	2.29 lbs.
4006	5/8"x6"	1.01 lbs.
4007	5/8"x7"	1.10 lbs.
4012	5/8"x12"	1.53 lbs.
4018	5/8"x18"	2.05 lbs.
4024	5/8"x24"	2.57 lbs.
4030	5/8"x30"	3.10 lbs.
4036	5/8"x36"	3.62 lbs.




G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies


9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

DOUBLE TROLLEY HOOKS



Item No.	Description	Weight
4110	3/8"x6" (Sheep Hook)	.59 lb.
4112	1/2"x6" (Sheep Hook)	1.03 lbs.
4212	3/8"x12"	.68 lb.
4218	3/8"x18"	.86 lb.
4224	3/8"x24"	1.05 lbs.
4236	3/8"x36"	1.43 lbs.
4312	7/16"x12"	.94 lb.
4318	7/16"x18"	1.19 lbs.
4324	7/16"x24"	1.44 lbs.
4336	7/16"x36"	1.94 lbs.
4412	1/2"x12"	1.20 lbs.
4418	1/2"x18"	1.54 lbs.
4424	1/2"x24"	1.87 lbs.
4436	1/2"x36"	2.54 lbs.

STAINLESS STEEL FRESH MEAT TREES



In-Line

Staggered


- Sturdy Type 304 stainless steel rod construction.
- Center rod is 1/2" diameter, hooks are 3/8" diameter.
- Hooks have sharp points and long taper for easy penetration.
- Available in both in-line and staggered hook arrangement.
- Electropolished to a bright, smooth finish.

Item No.	Description	Weight
In-Line		
3410	4 Hooks, 22"	1.9 lbs.
3411	6 Hooks, 36"	2.9 lbs.
3412	8 Hooks, 42"	3.5 lbs.
3414	10 Hooks, 45"	3.9 lbs.
3415	12 Hooks, 48"	4.4 lbs.
Staggered		
3450	4 Hooks, 22"	1.9 lbs.
3451	6 Hooks, 36"	2.9 lbs.
3452	8 Hooks, 42"	3.5 lbs.
3453	10 Hooks, 45"	3.9 lbs.
3454	12 Hooks, 48"	4.4 lbs.

STAINLESS STEEL HOG GAMBRELS

- Stainless steel hog gambrels made of solid 18-8 Type 304 stainless steel.
- Electropolished to a bright, smooth finish.
- Can be supplied with or without trolley rollers attached.
- Style A has welded center reinforcement.
- Style B for use with hog gambrel hook.
- Stainless steel flat bar style with loop made of solid stainless steel bar.
- Hog gambrels can be made to meet your specifications.


Item No.	Description	Weight Ea.
4710	Style A Stainless 5/8"x21-1/2"	2.39 lbs.
4711	Style A Stainless 3/4"x21-1/2"	3.41 lbs
4712	Stainless 5/8x23	3.05 lbs.
4713	Stainless Flat Bar 3/8"x1-1/4"	3 lbs.
4714	Stainless Flat Bar 3/8"x1-1/2"x21-1/2"	3.40 lbs.
4715	Stainless Flat Bar 3/8"x1-1/2"x21-1/2" (made to order)	3.5 lbs.
4720	Style B Stainless 5/8"x21-1/2" (made to order)	1.96 lbs.
4721	Style B Stainless 3/4"x21-1/2" (made to order)	2.90 lbs.




Item No. 4710, 4711



Item No. 4712



Item No. 4713, 4714



Item No. 4715



Item No. 4720, 4721



G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

HOG GAMBREL HOOKS




- Made of 1/2" round stock.
- Hooks spaced 5-1/4" on center.
- Can be attached to trolleys.

Item No.	Description	Weight ea.
4810	Stainless 1/2"x5-5/8" 5-1/4" Centers	1.14 lbs.
4817	Black 1/2"x5-5/8" 5-1/4" Centers	1.11 lbs
4818	Black 1/2"x7" 5-1/4" Centers	1.19 lbs.

ALL STAINLESS STEEL TROLLEYS

- Made of 18-8 Type 304 stainless steel.
- Stainless steel wheels have deep grooves that can be used on 3/8" or 1/2" tracks.
- Wheel flanges are smooth and rounded to prevent track climbing at curves and switches.
- Trolleys are supplied with graphite bearings. Roller bearing inserts with zerk grease fittings also available. (Please specify when ordering).
- Weight of trolley can be made to a tolerance of plus or minus 2 ounces of a specific weight.
- Trolleys are supplied with swivels and can have hooks, gambrels or trees attached.
- Electropolished to a bright, smooth finish.

STAINLESS STEEL SINGLE TROLLEYS



Item No.	Description																																																	
	<table border="1"> <thead> <tr> <th>Wheel Diameter</th> <th>Frame Size</th> <th>Frame Length</th> <th>Top of rail to top of frame/bar</th> <th>Top of rail to center of swivel</th> <th>Approx. Weight</th> <th>Capacity</th> </tr> <tr> <th>A</th> <th>B C</th> <th>D</th> <th>E</th> <th>F</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td colspan="7">Single</td> </tr> <tr> <td>7115</td> <td>3-7/8"</td> <td>3/8"x1-1/2"</td> <td>10-1/4"</td> <td>4-1/2"</td> <td>7-1/2"</td> <td>4 lbs. 14 oz. 500 lbs.</td> </tr> <tr> <td>7125</td> <td>4-5/8"</td> <td>3/8"x1-1/2"</td> <td>11-1/2"</td> <td>5-1/4"</td> <td>8"</td> <td>5 lbs. 11 oz. 700 lbs.</td> </tr> <tr> <td>7127</td> <td>4-5/8"</td> <td>3/8"x2"</td> <td>11-1/2"</td> <td>5-1/4"</td> <td>8"</td> <td>6 lbs. 13 oz. 900 lbs.</td> </tr> <tr> <td>7134</td> <td>4-5/8"</td> <td>1/2"x2"</td> <td>11-1/2"</td> <td>5-1/4"</td> <td>8"</td> <td>7 lbs. 14 oz. 1200 lbs.</td> </tr> </tbody> </table>	Wheel Diameter	Frame Size	Frame Length	Top of rail to top of frame/bar	Top of rail to center of swivel	Approx. Weight	Capacity	A	B C	D	E	F			Single							7115	3-7/8"	3/8"x1-1/2"	10-1/4"	4-1/2"	7-1/2"	4 lbs. 14 oz. 500 lbs.	7125	4-5/8"	3/8"x1-1/2"	11-1/2"	5-1/4"	8"	5 lbs. 11 oz. 700 lbs.	7127	4-5/8"	3/8"x2"	11-1/2"	5-1/4"	8"	6 lbs. 13 oz. 900 lbs.	7134	4-5/8"	1/2"x2"	11-1/2"	5-1/4"	8"	7 lbs. 14 oz. 1200 lbs.
Wheel Diameter	Frame Size	Frame Length	Top of rail to top of frame/bar	Top of rail to center of swivel	Approx. Weight	Capacity																																												
A	B C	D	E	F																																														
Single																																																		
7115	3-7/8"	3/8"x1-1/2"	10-1/4"	4-1/2"	7-1/2"	4 lbs. 14 oz. 500 lbs.																																												
7125	4-5/8"	3/8"x1-1/2"	11-1/2"	5-1/4"	8"	5 lbs. 11 oz. 700 lbs.																																												
7127	4-5/8"	3/8"x2"	11-1/2"	5-1/4"	8"	6 lbs. 13 oz. 900 lbs.																																												
7134	4-5/8"	1/2"x2"	11-1/2"	5-1/4"	8"	7 lbs. 14 oz. 1200 lbs.																																												

	Wheel Diameter	Frame Size		Frame Length	Top of rail to top of frame/bar	Top of rail to center of swivel	Approx. Weight	Capacity
	A	B	C	D	E	F		
Single								
7115	3-7/8"	3/8"x1-1/2"		10-1/4"	4-1/2"	7-1/2"	4 lbs. 14 oz.	500 lbs.
7125	4-5/8"	3/8"x1-1/2"		11-1/2"	5-1/4"	8"	5 lbs. 11 oz.	700 lbs.
7127	4-5/8"	3/8"x2"		11-1/2"	5-1/4"	8"	6 lbs. 13 oz.	900 lbs.
7134	4-5/8"	1/2"x2"		11-1/2"	5-1/4"	8"	7 lbs. 14 oz.	1200 lbs.




G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579


STAINLESS STEEL DOUBLE TROLLEYS



- Trolleys can be made to your specifications.
- Supplied with 5/8" diameter swivel hook.
- Wheels are supplied with graphite bushings.

Item No.	Description							
	Wheel Diameter	Frame Size		Frame Length	Top of rail to top of frame/bar	Top of rail to center of swivel	Approx. Weight	Capacity
	A	B	C	D	E	F		
Double								
7118	3-7/8"	3/8"x1-1/2"		10-1/4"	4-3/4"	7-7/8"	13 lbs. 1 oz.	1000 lbs.
7128	4-5/8"	3/8"x1-1/2"		11-1/2"	5-1/2"	8-3/8"	14 lbs. 10 oz.	1200 lbs.
7130	4-5/8"	3/8"x2"		11-1/2"	5-1/2"	8-3/8"	16 lbs. 10 oz.	1800 lbs.

STAINLESS STEEL DOUBLE TROLLEY ROLLERS WITH ROLLER AND BALL BEARING WHEELS



**Trolley with
Ball Bearing Wheel**



**Trolley with
Roller Bearing Wheel**

- Stainless steel 4" diameter roller bearing or ball bearing wheel for ease of rolling heavy loads.
- Wheels are heat treated to a high hardness for long wear.
- Rollers and balls are held separate in a cage to reduce friction.
- Suitable for brine chill installations.
- Axle can be supplied with oil or grease hole.
- Wheel flanges are smooth and rounded to prevent track climbing.
- Frames made of solid 18-8 Type 304 stainless steel.
- Standard swivel is 5/8", 3/4" also available.
- Electropolished to a bright, smooth finish.

Item No.		Description							
	Wheel Type	Wheel Dia.	Frame Size		Frame Length	Top of rail to top of frame/bar	Top of rail to center of swivel	Approx. Weight	Capacity
		A	B	C	D	E	F		
Double									
7135	Ball Bearing	4"	3/8"x1-1/2"		11-1/2"	5-1/8"	8-3/4"	15 lbs. 5 oz.	1200 lbs.
7138	Roller Bearing	4"	3/8"x1-1/2"		11-1/2"	5-1/8"	8-3/4"	15 lbs. 10 oz.	1200 lbs.
7136	Roller Bearing	4"	3/8"x2"		11-1/2"	5-1/8"	8-3/4"	18 lbs.	1800 lbs.
7140	Roller Bearing	4"	1/2"x2"		11-1/2"	5-1/8"	8-3/4"	20 lbs.	2500 lbs.

Other frame sizes available on request. Please call.



G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

STAINLESS STEEL EXTENSION ROD




- Made of solid 18-8 Type 304 stainless steel.

Item No.	Description	Weight
7006	1/2"x6"	.56 lb.
7012	1/2"x12"	.89 lb.
7024	1/2"x24"	1.56 lbs.
7036	1/2"x36"	2.23 lbs.
7048	1/2"x48"	2.80 lbs.

Other sizes available.

STAINLESS STEEL TROLLEY STORAGE RING WITH SAFETY LOOP




- Safety loop helps keep load from shifting off center.
- Made of 1/2" round 18-8 Type 304 stainless steel, 12" diameter.
- Center rod for added strength and capacity.

Item No.	Description	Weight
4910	1/2"x12" with crossbar and safety loop.	2.84 lbs.

BLACK AND GALVANIZED TROLLEY ROLLERS

- Smooth rolling trolley wheels of quality cast iron.
- Precision cast groove fits 3/8" or 1/2" tracking.
- Wheel flanges are designed to prevent track climbing at curves and switches.
- Trolleys are supplied with swivels and can have hooks, gambrels or trees attached.
- Standard wheel is plain bore with oil hole. Other options available include graphite bearings, oilite bearings, roller bearings and zerk grease fittings.

SINGLE TROLLEYS



Item No.		Description						
		Wheel Dia. A	Frame Size B C	Frame Length D	Top of rail to top of frame/bar E	Top of rail to center of swivel F	Approx. Weight	Capacity
Single								
7210	Galvanized	3-7/8"	5/16"x1-1/4"	10-1/4"	4-1/2"	7-1/2"	4.18 lbs.	300 lbs.
7211	Black	3-7/8"	5/16"x1-1/4"	10-1/4"	4-1/2"	7-1/2"	4.08 lbs.	300 lbs.
7212	Galvanized	3-7/8"	3/8"x1-1/4"	10-1/4"	4-1/2"	7-1/2"	4.50 lbs.	400 lbs.
7214	Black	3-7/8"	3/8"x1-1/4"	10-1/4"	4-1/2"	7-1/2"	4.40 lbs.	400 lbs.
7215	Galvanized	3-7/8"	3/8"x1-1/2"	10-1/4"	4-1/2"	7-1/2"	4.93 lbs.	700 lbs.
7216	Black	3-7/8"	3/8"x1-1/2"	10-1/4"	4-1/2"	7-1/2"	4.83 lbs.	700 lbs.
7315	Galvanized	4-5/8"	3/8"x1-1/2"	11-1/2"	5-1/4"	8"	5.99 lbs.	700 lbs.
7316	Black	4-5/8"	3/8"x1-1/2"	11-1/2"	5-1/4"	8"	5.89 lbs.	700 lbs.
7317	Galvanized	4-5/8"	3/8"x1-3/4"	11-1/2"	5-1/4"	8"	6.40 lbs.	900 lbs.
7318	Black	4-5/8"	3/8"x1-3/4"	11-1/2"	5-1/4"	8"	6.40 lbs.	900 lbs.
7321	Heat Treated	4-5/8"	3/8"x1-3/4"	11-1/2"	5-1/4"	8"	6.40 lbs.	2200 lbs.




G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

BLACK AND GALVANIZED DOUBLE TROLLEYS




Item No.		Description						
		Wheel Dia. A	Frame Size B C	Frame Length D	Top of rail to top of frame/bar E	Top of rail to center of swivel F	Approx. Weight	Capacity
Double								
7412	Galvanized	3-7/8"	3/8"x1-1/4"	10-1/4"	4-3/4"	7-7/8"	12.25 lbs.	600 lbs.
7414	Black	3-7/8"	3/8"x1-1/4"	10-1/4"	4-3/4"	7-7/8"	12.05 lbs.	600 lbs.
7415	Galvanized	3-7/8"	3/8"x1-1/2"	10-1/4"	4-3/4"	7-7/8"	13.11 lbs.	1000 lbs.
7416	Black	3-7/8"	3/8"x1-1/2"	10-1/4"	4-3/4"	7-7/8"	12.91 lbs.	1000 lbs.
7515	Galvanized	4-5/8"	3/8"x1-1/2"	11-1/2"	5-1/2"	8-3/8"	15.23 lbs.	1000 lbs.
7516	Black	4-5/8"	3/8"x1-1/2"	11-1/2"	5-1/2"	8-3/8"	15.03 lbs.	1000 lbs.
7517	Galvanized	4-5/8"	3/8"x1-3/4"	11-1/2"	5-1/2"	8-3/8"	16.05 lbs.	1200 lbs.
7518	Black	4-5/8"	3/8"x1-3/4"	11-1/2"	5-1/2"	8-3/8"	15.85 lbs.	1200 lbs.
7521	Heat Treated	4-5/8"	3/8"x1-3/4"	11-1/2"	5-1/2"	8-3/8"	15.85 lbs.	1800 lbs.

Trolleys can be made to your specifications, please call.

STAINLESS STEEL TROLLEY WHEELS

- Wheels have deep grooves for 3/8" or 1/2" tracks.
- Wheel flanges are smooth and rounded to prevent track climbing at curves and switches.
- Suitable for brine chill installations.
- Electropolished to a bright, smooth finish.
- 1/2" bore, other bores available, please specify.

STAINLESS STEEL ROLLER BEARING WHEEL



7845

- Designed for use with heavier loads, especially brine chill conditions.
- All stainless heat treated construction.
- Specially designed cage separates rollers, reducing friction for longer life.
- Open type construction for easy washout.
- Stainless axle drilled for oil or grease lubrication.



G.F. Frank and Sons Inc.


stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

STAINLESS STEEL BALL BEARING WHEEL



7838



- All stainless heat treated construction.
- Cage separates balls for reduced friction and longer life.
- Open type construction for easy washout and lubrication.
- Uses any standard axle. (Purchased separately)
Please specify type of axle required.
- Also available in black (Item No. 7841).

STAINLESS STEEL WHEELS



7834

- Made of 18-8 Type 304 stainless steel.
- Graphite plastic bushing standard.
- Furnished complete with oil hole. Available with zerk grease fitting, can also be used with oiler or zerk fitted axles (Please specify).
- Also available with needle bearings and zerk fittings.

Item No.	Description	Weight
7845	Stainless 4" Roller Bearing Wheel (2.75 lbs. without axle and nut)	2.84 lbs.
7838	Stainless 4" Ball Bearing Wheel	2.60 lbs.
7830	Stainless 3-7/8" Wheel, Graphite Bushing	2.00 lbs.
7834	Stainless 4-3/4" Wheel, Graphite Bushing	2.40 lbs.

BLACK AND GALVANIZED TROLLEY WHEELS



Style A



Style C

- Smooth rolling trolley wheels of quality cast iron.
- Precision cast groove fits 3/8" or 1/2" tracking.
- Wheel flanges are designed to prevent track climbing at curves and switches.
- Furnished complete with oil hole.

Item No.	Style	Description	Approx. Weight Ea.
7810	A	Galvanized, 3-7/8"	2.10 lbs.
7811	A	Black, 3-7/8"	2.00 lbs.
7812	C	Galvanized, 4-5/8"	2.75 lbs.
7818	C	Black, 4-5/8"	2.88 lbs.
7820	C	Black, 4-5/8"	2.75 lbs.

BALL BEARING WHEEL

- All heat treated steel construction.
- Designed for ease of rolling heavy smokehouse cages and trees.
- Cage separates balls for easy washout and lubrication.
- Open type construction for easy washout and lubrication.
- Uses standard 1/2" axle.
- Also available in stainless (Item No. 7838).



Item No.	Description	Weight Ea.
7841	Black, 4" Ball Bearing	2.60 lbs.



G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

STAINLESS STEEL LIVER HANGING TRUCKS

STATIONARY HOOK LIVER HANGING TRUCK

- Sturdy all stainless steel construction with stationary hooks.
- Stainless steel 5/16" diameter hooks are welded in place, 103 hooks total.
- Hooks are staggered for maximum loading capacity.
- Base constructed of 3" heavy duty formed channel and tubular stainless steel.
- Stations are 14" apart.
- Load wheels are 14" diameter, swivel casters are 8"x2".
- Stainless steel drip pan available.
- Overall length 65-3/4", width 30", height 72".

Item No.	Description
2450	Stainless steel liver truck with stationary hooks
2451	Stainless steel drip pan

MULTI-USE LIVER HANGING TRUCK



- All stainless steel sturdy construction with removable hooks.
- Stainless steel 5/16" diameter hooks can be positioned as needed to accommodate liver, hearts, tongue or other similar product. 103 hooks total.
- Nine removable stations constructed of 1" square stainless tubing.
- Stations are 13" apart.
- Frame is constructed of 3" formed channel.
- Load wheels are 14" diameter, swivel casters are 8"x2".
- Stainless steel drip pan and replacement hooks available.
- Overall length 66", width 30", height 70-1/2".

Item No.	Description
2460	Stainless steel liver truck with removable hook
2461	Stainless steel drip pan
2462	Replacement hooks

STAINLESS STEEL CHILLPAK HANDLE




- Stainless steel chillpak handles are excellent sanitary replacements for plated handles that corrode, rust and flake.
- Designed to fill 20"x24" polyethylene chillpak trays.
- Solid 3/8" stainless steel electropolished to a bright, smooth finish.
- Other types of replacement handles can be made to order.

Item No.	Description
2465	Stainless steel chillpak handle to fit 20"x24" trays

TROLLEY WHEEL OPTIONS

Item No.	Description
7710	Graphite/Plastic Bushing
7711	Oilite Bushing
7712	Insert Type Roller Bearing, 7/8" OD to fit 1/2" axle
7610	Zerk Grease Fitting



Wheel with Insert Type
Roller Bearing

TROLLEY PARTS

AXLES

Item No.	Description	Weight/100
8010	Galvanized 1/2"x2-3/8"	17 lbs.
8011	Black 1/2"x2-3/8"	17 lbs.
8012	Galvanized 1/2"x2-1/2"	17 lbs.
8014	Black 1/2"x2-1/2"	17 lbs.
8015	Galvanized 1/2"x2-5/8"	17 lbs.
8016	Black 1/2"x2-5/8"	17 lbs.
8026	Stainless 1/2"x2-1/2"	18 lbs.
8031	Zerk Fitted Axle	18 lbs.
8030	Oiler Axle 5/8"x2-1/2"	26 lbs.
8033	Stainless Steel Drilled, Threaded with Nut	18 lbs.



FRAMES

Item No.	Description	Weight Ea.
8041	Galvanized 5/16"x1-1/4"x10-1/4"	1.69 lbs.
8042	Black 5/16"x1-1/4"x10-1/4"	1.63 lbs.
8043	Galvanized 3/8"x1-1/4"x10-1/4"	2.01 lbs.
8044	Black 3/8"x1-1/4"x10-1/4"	1.95 lbs.
8045	Galvanized 3/8"x1-1/2"x10-1/4"	2.44 lbs.
8046	Black 3/8"x1-1/2"x10-1/4"	2.39 lbs.
8047	Galvanized 3/8"x1-1/2"x11-1/2"	2.70 lbs.
8048	Black 3/8"x1-1/2"x11-1/2"	2.66 lbs.
8049	Galvanized 3/8"x1-3/4"x11-1/2"	3.21 lbs.
8050	Black 3/8"x1-3/4"x11-1/2"	3.16 lbs.
8051	Galvanized Heat Treated 3/8"x1-3/4"x11-1/2"	3.21 lbs.
8052	Black Heat Treated 3/8"x1-3/4"x11-1/2"	3.16 lbs.



Stainless frames also
available.



G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

TROLLEY PARTS (continued)



1/2" Diameter



5/8" Diameter



SWIVELS

Item No.	Description	Weight/100
7910	Stainless 1/2"	35 lbs.
7911	Galvanized 1/2"	35 lbs.
7912	Black 1/2"	35 lbs.
7913	Stainless 5/8"	65 lbs.
7914	Galvanized 5/8"	61 lbs.
7915	Black 5/8"	60 lbs.
7916	Black "J" Hook 1/2" pointed	34 lbs.
7917	Black "J" Hook 5/8" pointed	60 lbs.
7918	Stainless 3/4"	116 lbs.

BUSHINGS

Item No.	Description
7710	Graphite/Plastic Bushing 1/2" I.D.x3/4" O.D.x1-1/2" long
7711	Oilite Bushing 1/2" I.D.x5/8" O.D.x1-1/2" long
7714	Bronze Bushing 1/2" I.D.x5/8" O.D.x1-1/2" long
7715	Bronze Bushing 1/2" I.D.x3/4" O.D.x1-1/2" long

Other sizes available.

BEEF SHACKLE ASSEMBLIES AND PARTS



- Heavy duty construction for long, trouble free service.
- Wheel is 6" diameter, available with roller bearing or bronze bushing.
- Heavy steel frame available with forged or flat top.
- Overall length is 56".
- Beef shackle wheels, chains and parts available.
- Can be made to order to your specs.

Item No.	Description	Weight Ea.
7330	Forged Top, Bronze Bushing	24.2 lbs.
7331	Forged Top, Roller Bearing	25.2 lbs.
7333	Flat Top, Bronze Bushing	24.2 lbs.
7334	Flat Top, Roller Bearing	25.2 lbs.
7340	Wheel, 6", Bronze Bushing	6.3 lbs.
7341	Wheel, 6", Roller Bearing	7.3 lbs.
7348	Axle, 7/8"x3-1/2", Threaded	0.6 lb.
7349	Axle, 7/8"x3-1/2", Weld-In	0.6 lb.
7350	Frame, Forged	10.1 lbs.
7351	Frame, Flat Top	10.1 lbs.
7358	Chain Assembly, Complete	7.2 lbs.
7361	Hook Only, 3/8"	0.8 lb.
7362	Hook Only, 1/2"	2.0 lbs.
7363	Swivel Only, 1/2"	1.0 lb.



G.F. Frank and Sons Inc.

stainless steel packer's and butcher's equipment and supplies

9075 LeSaint Drive • Fairfield, Ohio 45014 • (513) 870-9075 • FAX (513) 870-0579

HOG SHACKLES



7384



7380

- Hog shackle available with either a trolley or top hook.
- Comes complete with swivel, chain and hook with load releasing ring.
- Chain assembly has 5/8" diameter hook. Overall length is 38".
- Trolley assembly has 3/8"x1-1/2" frame. Overall length is 42".
- Hog shackle parts, including top hook, bottom hook and swivel available.
- Other styles made to order.

Item No.	Description	Weight Ea.
7380	Chain assembly, 38" overall length	3.80 lbs.
7384	Trolley assembly, 42" overall length	7.75 lbs.
7381	Top Hook, 5/8"x11" (for item no. 7380)	1.70 lbs.
7382	Bottom Hook, 5/16" with ring	0.63 lbs.
7383	Swivel only, 3/8"	0.47 lbs.